

LOGIC INSTRUMENT
an ARCHOS company

X67 5G

LE PREMIER SMARTPHONE DURCI **5G**



6.67" FHD+ (2400 x 1080) IPS Corning Gorilla Glass 5 / IP68, IP69K, MIL-STD-810G (certifié pour les vibrations) / MediaTek Dimensity 800, 4xCortex-A76, 2.0GHz & 4xCortex-A55, 2.0GHz, 7nm proces / 8GB, LPDDR4X dual channel / 128GB, UFS 2.1 / 8000mAh

WWW.LOGIC-INSTRUMENT.COM

LOGIC INSTRUMENT
an ARCHOS company

X67 5G

LE PREMIER SMARTPHONE DURCI **5G**



6.67" FHD+ (2400 x 1080) IPS Corning Gorilla Glass 5 / IP68, IP69K, MIL-STD-810G (certifié pour les vibrations) / MediaTek Dimensity 800, 4xCortex-A76, 2.0GHz & 4xCortex-A55, 2.0GHz, 7nm proces / 8GB, LPDDR4X dual channel / 128GB, UFS 2.1 / 8000mAh

WWW.LOGIC-INSTRUMENT.COM

CARACTERISTIQUES TECHNIQUES

PRINCIPALES

- RAM : 8Go, LPDDR4X dual channel
- ROM : 128Go¹, UFS 2.1
- Batterie : 8000mAh
- Charge rapide: 18W²

PROCESSEUR

- CPU: MediaTek Dimensity 800, 4xCortex-A76, 2.0GHz & 4xCortex-A55, 2.0GHz, 7nm process
- GPU: ARM NATT MC4

DIMENSIONS³

- Hauteur : 178mm
- Largeur : 83,4mm
- Epaisseur : 17,6mm
- Poids ≈ 380g

CAMERA⁴ & VIDEO

- 48MP Sony primary camera, IMX582, 1/2" image sensor, 1.6µm 4-in-1 super pixel, F/1.79 aperture, 6-element lens
- 13MP ultra wide angle camera, FOV 124°, S5K3L6
- 2MP depth camera
- 2MP macro camera, 4cm macro distance, GC02M2
- 16MP ultra-clear front camera S5K3P9SP, 5-element lens, f/2.8, PDAF

ECRAN

- 6.67" FHD+(2400 x 1080) Full Screen
- 20:9 aspect ratio, 410PPI
- 420 Cd/m²
- Corning Gorilla Glass 5
- 10 Points Multi Touch
- Utilisable avec des gants



RESISTANCE (Eau, poussière, chocs)

- IP68, IP69K
- Résiste aux chutes jusqu'à 1.5m
- MIL-STD-810G⁵ (certifié pour les vibrations)

BOUTONS DEDIES

- Touches PTT et SOS
- Power
- Vol+/Vol-

SECURITE

- Fingerprint sur le côté
- Reconnaissance faciale

RESEAU ET CONNECTIVITE

- 2 Nano-SIM
- USB Type-C Port
- Bluetooth 5.1, Bluetooth HID
- Supports protocoles: IEEE802.11 a/b/g/n/ac
- Supports 2.4G Wi-Fi / 5G Wi-Fi
- Wi-Fi Direct / Wi-Fi Display / OTG enabled
- Fréquences Réseau
- WCDMA : B1/2/4/5/6/8/19(RXD), TDS : B34/39
- CDMA : BC0/BC1/BC10(RXD)
- FDD: B1/2/3/4/5/7/8/12/13/17/18/19/20/25/26/28A/28B/66
- TDD: B34/B38/B39/B40/B41
- 5G: N1/3/5/8/20/28/38/41/77/78/79
- Les 2 cartes SIM peuvent être 5G⁶
- Les 2 cartes SIM peuvent accéder simultanément à la 4G⁷
- Compatible VoLTE HD⁸

NFC

- Compatible Google Pay

NAVIGATION

- GPS, GLONASS, Galileo





CAPTEURS & PORTS

- Lecteur d'empreintes digitales
- Capteur de proximité
- Capteur de luminosité ambiante
- Accéléromètre
- Gyroscope
- Compas électronique
- POGO

SYSTEME D'EXPLOITATION

- Android 10, Stock version,

DAS

DAS : Valeur Max(W/kg)			
RF Exposure Conditions	10-g Head	10-g Body (Separation distance of 5mm)	10-g Member DAS (See note3) (Separation distance of 0mm)
	0.124	0.819	1.403
Max Simultaneous Tx	0.211	0.935	1.639

CONTENU DE LA BOITE

- Smartphone
- Câble USB- C
- Alimentation
- adaptateur USC-C / audio 3.5mm
- Quick Start Guide

1. Available storage and RAM are less than the total memory due to storage of the operating system and software pre-installed in the device. X67 5G does not support expansion SD card.
2. Charging rates are based upon the use of the included charger. Actual results may vary.
3. Size and weight vary by configuration and manufacturing process.
4. The camera software functions are subject to actual presence; some functions and names may vary depending on the software version.
5. X67 5G is shockproof, water, and dust resistant and was tested under controlled laboratory conditions with a rating of IP68 under IEC standard 60529 (maximum depth of 1.5 meters up to 30 minutes). Charger and accessories are not water-resistant. Shockproof, water and dust resistance are not permanent and might decrease as a result of normal wear. Do not attempt to charge a wet X67 5G. Liquid damage not covered under warranty.
6. The support for 5G depends on the local carriers' network; when using two 5G SIM cards, only one of them supports 5G network standby, which can be selected at Network Settings.
7. Dual 4G SIM requires the support of local telecom operator services and may not be available in all regions.
8. Only certain regions and telecom operators support VoLTE. The Android® word mark and logos are registered trademarks owned by Google. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. USB-Type C™ and USB-C™ are trademarks of USB Implementers Forum.=

Logic instrument UK
+44 (0)11 89 77 24 60
jratcliffe@logic-instrument.com

Logic instrument France
+33 (0)1 69 33 10 80
bienvenue@logic-instrument.com

Logic instrument Germany
+49 (0)61 04 94 59 93
willkommen@logic-instrument.com

Logic instrument Benelux
+31 (0)653 647 107
kubinek@archos.com

X67 5G

THE FIRST **5G** RUGGEDIZED SMARTPHONE

ARCHOS X67 5G

IP68 + IP69K + MIL-STD-810G
Waterproof & Dustproof & Shockproof



ARCHOS X67 5G

SUPPORT 5G/4G GLOBAL

5G

Dual 5G Modes
NSA&SA

Dual SIM Cards

FDD: B1/2/3/4/5/7/8/12/13/17/18/19/
20/25/26/28A/28B/66

TDD: B34/B38/B39/B40/B41
5G: N1/3/5/8/20/28/38/41/77/78/79



ARCHOS X67 5G


MASSIVE 8000 mAh BATTERY
2-Days Active Use



ARCHOS X67 5G

48MP Quad AI CAMERA
13MP Wide Angle Camera

- Sony 48MP Camera f/1.79
- 13MP Ultra-Wide Angle Camera 124° FOV
- Macro Camera 2MP
- Depth Camera 2MP



ARCHOS X67 5G

BIG 6.67" INCH FHD+ SCREEN
Corning® Gorilla® Glass

6.67" FHD+ (2400 x 1080) IPS Corning Gorilla Glass 5 / IP68, IP69K, MIL-STD-810G (certifié pour les vibrations) / MediaTek Dimensity 800, 4xCortex-A76, 2.0GHz & 4xCortex-A55, 2.0GHz, 7nm proces / 8GB, LPDDR4X dual channel / 128GB, UFS 2.1 / 8000mAh